

INDEX MAPS.

T. 5N R. 2W 2nd Mer.

	204-206	204-206	204-206	204-206	205	205
208	6 227	5 223	4 219	3 216	2 212	1 203
	228	227	223	219	215	211
208	7 227	8 223	9 219	10 215	11 211	12 203
	228	226	222	218	215	211
208	18 226	17 222	16 218	15 214	14 211	13 203
	229	226	221	218	214	210
207	19 225	20 221	21 217	22 214	23 210	24 202
	228	225	221	217	213	209
207	30 224	29 220	28 217	27 213	26 209	25 202
	224	224	220	216	212	209
207	31 223	32 220	33 216	34 212	35 209	36 202
	200	199-200	199-200	199-201	199-201	199-201

T. 6N R. 2W 2nd Mer.

	237	237	236	236	236	235						
240	6	259	5	255	4	251	3	247	2	243	1	235
	259		258		255		251		247		243	
239	7	258	8	254	9	250	10	247	11	243	12	235
	259		258		254		250		246		242	
239	18	257	17	254	16	250	15	246	14	242	13	234
	260		257		253		249		245		241	
238	19	256	20	253	21	249	22	245	23	241	24	234
	260		256		252		249		246		241	
238	30	256	29	252	28	248	27	245	26	241	25	234
	260		256		252		248		244		240	
238	31	255	32	251	33	248	34	244	35	240	36	233
	231-233		231-233		231-233		231-232		231-232		232	

The figures on the lines refer to the page.

Township No. 5 North Range No. 2 West 2nd Mer.
Ch. Sec.

South Boundary Var. 6.20'

West Ona Mandem River to the South Boundary of sec. 36
T. N. 5 N. R. N. 2 W. 2nd 40 Mer.

20.00 To the Bank of White River cor to ad. 36. J N.
5 RR. N. 27.

4.00 Let a temp. of frost for the cor. to $\frac{1}{4}$ sec. \checkmark

80.00 Set a temporary post for the cor. to Sect. 35. & 36. T.
N. 5. W. N. 2. W. Sand rich and rolling
Timber Buck, Sugar, & —

West Ortho South Boundary of sec. 35. T. N. 5 N. R.
N. 2 W.

4000 Set, a temporary post for the cor. in $\frac{1}{4}$ sec.

80.00 Got a a a a a to see? 34 & 35 T.
N^o 5 N.H. N^o 2 W. Sands Lick and timber Area
as on the last mile;

West On a Random line on the South Boundary of sec.
34, T. N. 5 N. R. N. 2 W.

4000 Set a trap for the con. $12\frac{1}{4}$ sec.

65.00 Toa Brook 20 miles wide; Course South.

80.00 Set a temporary post for the cor. to lat. 33. & 34. T. N. 5 N. R. N. 2 W. Same as the last mile.

West On a Random line on the South Boundary of sec. 33.
T. 5 N. R. 27 W.

40.00 Lit, a tumpy ghost for the con. to 1/4 sec

80.00 Set a n n n n g n Sub 32, 1835.
T. N. 5 N. R. N. 2 W. Sand Soil and timber
Same as in the last mile.

Walt On a Random line on the South Boundary of sec 32
T. N. 5 N. R. N. 27 N.

4000 Set a tempo first for the car. to $\frac{1}{4}$ sec.

8000 a a a a a a a a a a Dec. 31. 1932

T. N. 5 N. R. N. 2 W. 2nd Mer. Sec. 31

T. N. 5 N. R. N. 2 W. Soil thin & very
lumpy; Timber Oak, Hickory

West On a Random line on the South Boundary of sec. 31.
T. N. 5 N. R. N. 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

75.72 Intersect a true N. & S line South of the first set
for the cor. to T. 4. 4. & 5. 5. N. R. 2 & 3 W.
Sands rolling & Timber Buck. & Sugar.

East In the true line on the South Boundary of sec. 31. T.
N. R. N. 2 W. Var. $6^{\circ} 20'$

35.72 Set the temporary post on the true line for the
cor. to $\frac{1}{4}$ sec. from which are
Elm 10 in. dia. bears S 42 E. 34 links dist; 10
Buck 10 " " " S 80 W. 16 " "

75.72 Set the temporary post on the true line for the cor. to
Sec. 31 & 32. T. N. 5 N. R. N. 2 W. from which are
Buck 6 in. dia. bears N 71 W. 18 links dist; 10
W. Oak 12 " " " S 80 W. 16 " "

East On the true line on the South Boundary of sec. 32.
T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post on the true line for the cor.
to $\frac{1}{4}$ sec. from which are
Sugar 12 in. dia. bears S 60 E. 14 links dist; 10
Syr 12 " " " S 10 E. 23 " "

80.00 Set the temporary post on the true line for the cor. to
Sec. 32 & 33. T. N. 5 N. R. N. 2 W. from which
are Sugar 12 in. dia. bears N 35 E. 29 links dist; 10
Do 12 " " " S 35 W. 16 " "

East On the true line on the South Boundary of sec. 33.
T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post on the true line; 10 in. Buck
12 in. dia. stands for the cor. to $\frac{1}{4}$ sec.

T. N. 5 N. R. N. 2 W. 2nd Mer. (Ind. a.)

80.00 Set the temporary post on the true line for the cor. to Sec. 33 & 34. T. N. 5 N. R. N. 2 W. from which a Buck 12 in. dia. bears S 44 E. 17 links dist; to Poplar S — — — S 70 W. 9 — —

East On the true line on the South Boundary of Sec. 34. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post on the true line for cor. to $\frac{1}{4}$ sec. from which a Buck 8 in. dia. bears S 66 E. 12 links dist; to Do Do — — — N 17 E. 9 — —

80.00 Set the temporary post on the true line for the cor. to Sec. 34 & 35. T. N. 5 N. R. N. 2 W. from which a Buck 8 in. dia. bears S 33 W. 5 links dist; to Do 8 — — — N 24 E. 22 — —

East On the true line on the South Boundary of Sec. 35. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post ~~on~~ the true line for the cor. to $\frac{1}{4}$ sec. from which a Buck 8 in. dia. bears N 54 E. 14 links dist; to Do 10 — — — S 60 E. 14 — —

80.00 Set the post (temporary) on the true line for the cor. to Sec. 35 & 36. T. N. 5 N. R. N. 2 W. from which a Buck 18 in. dia. bears N 5 W. 12 links dist; to Do 10 — — — S 18 E. 20 — —

East On the true line on the South Boundary of Sec. 36. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sugar 10 in. dia. bears N 88 E. 35 links dist; to Do 12 — — — N 56 W. 17 — —

80.00 To the cor. of Towns 4.4 & 5.5. N. W. 1/4 & 2 W. 2nd Mer. Indiana.

T. N. 5 N. R. N. 27. 2nd Mer. (Ind. a.)

East Boundary

- North On the East Boundary of sec. 36, T. N. 5 N. R. N. 27.
- 10.50 To a Poplar 30 in. dia. base in the river.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 12 in. dia. base S39 W. 24 links dist; to
Logwood Ca. N41 W. 12 a. —
- 80.00 Set a post for the cor. to sec. 25, 136, T. N. 5
N. R. N. 27. from which a
Beck 12 in. dia. base S2 E. 24 links dist; to
Sugar 18 a. — N72 W. 21 a. —
Sandy soil and rolling; timber Beech,
Sugar, Ash, and Poplar. M. G. Spin.
-

- North On the East Boundary of sec. 25, T. N. 5 N. R. N. 27.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 20 in. dia. base S34 E. 29 links dist; to
Do 7 a. — N54 W. 29 a. —
- 54.50 To a Spring Run 4 links wide; corner E.
- 56.75 To a Brook 12 links wide; corner E.
- 80.00 Set a post for the cor. to sec. 24 & 25, T. N. 5 N.
R. N. 27. from which a
Beck 12 in. dia. base S44 E. 26 links dist; to
Do. 10 a. — S47 W. 17 a. —
Sandy soil and timber same as on the last mile
-

- North On the East Boundary of sec. 24, T. N. 5 N. R. N. 27.
- 22.75 To a R. Oak 30 in. dia. stands in the river.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 10 in. dia. base S46 E. 37 links dist; to
Beck 12 a. — N56 W. 14 a. —
- 46.75 To a Hickory 15 in. dia. stands in the river.
- 80.00 Set a post for the cor. to sec. 13 & 24, T. N. 5 N.
R. N. 27. from which a

T N^o 5 N.R. N^o 2 W. 2nd Mer. (Ind. a.)

W. Oak 10 in. dia. bears S 6 E. 33 links dist; to
 Ho 12 n n n S 54 E. 15 n n
 Sand soil and timber same as on the last mile.

North On the East Boundary of sec. 13. T N^o 5 N.R.
 N^o 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Dogwood 6 in. dia. bears S 1 W. 23 links dist; to
 Buck 8 n n n N 16 E. 8 n n

80.00 Set a post for the cor. to sec. 12. & 13. T N^o 5 N.
 R. N^o 2 W. from which a
 Hickory 8 in. dia. bears S 6 W. 22 links dist; to
 Dogwood 7 n n East 4 n n
 Sand soil and timber same as on the last mile.

North On the East Boundary of sec. 12. T N^o 5 N.
 R. N^o 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears S 16 W. 14 links dist; to
 Dogwood 6 n n n N 85 W. 11 n n

61.60 To a B. Oak 20 in. dia. stands in the line.
 80.00 Set a post for the cor. to sec. 1. & 12. T N^o 5 N.
 R. N^o 2 W. from which a
 W. Oak 8 in. dia. bears S 2 W. 29 links dist; to
 Dogwood 6 n n n N 39 W. 20 n n
 Sand soil and timber same as on the last mile.

North On the East Boundary of sec. 1. T N^o 5 N. R.
 N^o 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Gum 6 in. dia. bears S 1 W. 10 links dist; to
 W. Oak 15 n n n N 40 W. 13 n n

68.95 To a Poplar 20 in. dia. stands in the line.

80.00 Set a post for the cor. to Towns 5. 5. & 6. 6. N.
 R. N^o 1 & 2 W. from which a
 Hickory 10 in. dia. bears S 14 E. 11 links dist; to

T. N. 5 N. R. N. 27. 2nd Mer. Ind.

- West On the true line on the South Boundary of Sec. 34. T. N. 5 N. R. N. 27.
- 40.00 Set a post (temp.) on the true line. for the cor. to $\frac{1}{4}$ Sec. from which a
 Poplar 24 in. dia. bears N 3 E. 18 miles dist;
- 80.00 Set the temp. post at the true line for the cor. to
 Sec. 33 & 34. T. N. 6 N. R. N. 27. from which a
 Buck 9 in. dia. bears S 80 E. 37 miles dist; to
 Do 20 " " N 37 E. 15 " "

- West On the true line on the South Boundary of Sec. 33.
 T. N. 6 N. R. N. 27.
- 40.00 Set the temp. post on the true line for the cor. to $\frac{1}{4}$ Sec. in a brush thicket; no timber nigh.
- 80.00 I saw Ironwoods on the true line 5 in. dia. which
 stands for the cor. to Sec. 32, 33. T. N. 6 N. R. N. 27.

- West On the true line on the South Boundary of Sec. 32.
 T. N. 6 N. R. N. 27.
- 40.00 Set the temporary post on the true line for the cor. to $\frac{1}{4}$ Sec. from which a
 Buck 10 in. dia. bears S 85 E. 16 miles dist; to
 Do 10 " " N 26 W. 15 "
- 80.00 Set the temp. post on the true line for the cor. to
 Sec. 31 & 32. T. N. 6 N. R. N. 27. from which a
 Sugar 10 in. dia. bears N 44 E. 9 miles dist; to
 Do 8 " " N 72 W. 14 " "

- West On the true line on the South Boundary of Sec. 31. T. N. 6
 N. R. N. 27. 2nd Mer.
- 14.26 To the Brook; this line corrected no further
 West (cetera Desunt.)

207

T. N. 5 N. R. N. 2 W. 2nd Mer. (Ind. ^a)

West Boundary. Var. 6° 45'

North On the East Boundary of sec. 36 T. N. 5 N. R. N. 3 W.
 12.00 Top Buck 12 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 20 in. dia. bears S 5 W 18 links dist; 10
 Do 10 " " " N 62 W 12 " "
 65.00 Top Buck 100 links side; corner S.
 80.00 Set a post for the cor. to sec. 25 & 36, T. N. 5 N.
 R. N. 3 W. from which a
 Buck 6 in. dia. bears S 21 W. 6 links dist; 10
 Sugar 10 " " " N 78 E. 19 " "
 Sand & Kelly; Timber Buck, Sugar & Poplar.

North On the East Boundary of sec. 25, T. N. 5 N. R. N. 3 W.
 21.00 Top Buck 20 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears S 21 W. 8 links dist; 10
 Do 10 " " " N 79 E. 16 " "
 80.00 Set a post for the cor. to sec. 24 & 25, T. N. 5 N.
 R. N. 3 W. from which a
 Buck 10 in. dia. bears S 50 E. 9 links dist; 00
 Do 12 " " " N 50 W. 21 " "
 Sand & Soil and timber same as on the line.

North On the East Boundary of sec. 24, T. N. 5 N. R. N. 3 W. 2nd Mer. (Ind. ^a)
 12.00 Top Buck 10 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 12 in. dia. bears S 88 W. 15 links dist; 10
 Buck 10 " " " S 20 W. 33 " "
 72.50 Top Buck 18 in. dia. Stands in the line.
 80.00 Set a post for the cor. to sec. 13 & 24, T. N. 5 N.
 R. N. 2 W. from which a
 Buck 12 in. dia. bears South 6 links dist; 10
 Walnut 10 " " " N 68 E. 16 " "
 Sand & Soil and timber same as on the last line.

T. No 5 N.R. No 2 W. 2nd Mer. (Ind.)

North On the East Boundary of Sec 13. T. No 5 N.R. No 2 W. 2nd Mer. (Ind.)

40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 12 in. dia. bears S 12 E. 20 links dist; to
Poplar 18 " " " S 81 W. 14 " "

51.00 To a B. Oak 12 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 12 & 13. T. No 5 N.
R. No 2 W. from which a
Poplar 12 in. dia. bears S 14 E. 37 links dist; to
Sugar 10 " " " N 16 E. 18 " "
Sands thin and Heilly; Timber Oak, & Heilly;

North On the East Boundary of Sec. 12. T. No 5 N.R. No 3 W. 2nd Mer.

40.00 Set a post for the cor. to 1/4 sec. from which an
Sawwood 4 in. dia. bears S 57 W. 10 links dist; to
Do 4 " " " S 81 E. 10 " "

41.50 To a Brook 25 links wide; Course E.

80.00 Set a post for the cor. to Sec. 1 & 12 T. No 5 N.R. No 3 W. 2nd Mer. from which a

W. Oak 12 in. dia. bears S 48 W. 7 links dist; to
Do 10 " " " N 43 E. 21 " "
Sands thin and timber same as on the last mer.

North On the East Boundary of Sec. 1. T. No 5 N.R. No 3 W. 2nd Mer.

40.00 To a W. Oak 10 in. dia. stands in the line.

41.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 20 in. dia. bears S 22 E. 28 links dist; to
Buck 12 " " " S 81 W. 28 " "

80.00 Set a post for the cor. to Terms 5.5, & 6.6. N.R. No 3 W. from which a

Sugar 12 in. dia. bears S 26 W. 35 links dist
Syrup 10 " " " N 88 E. 35 " "
Sands fair and timber same as on the last mer.

T. N. 5 N. R. N. 2 W. 2nd Mer. (Ind. a)

Subdivisions

North Section Sec. 35, 36. T. N. 5 N. R. N. 2 W.
 40.00 To a Buck 24 in. dia. stand for the cor. to 1/4 sec.
 80.00 Set a post for the cor. to sec. 25, 26, 35, 36. From
 which a Logwood 8 in. dia. bears N 9 W 3 miles dist.
 and a Sugar 10 " " " S 22 W 33 " "
 Lands rich and rolling; timber Sugar, Poplar, Ash.

East On a Kaudum line between Sec. 25, 36. T. N. 5 N. R. N. 2 W.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.20 Intersected the N. & S. line 12 miles south of the post
 Set for the cor. to sec. 25, 36. T. N. 5 N. R. N. 2 W.

West On the true line between Sec. 25, 36. T. N. 5 N. R. N. 2 W.
 40.10 Set the temporary post at the cor. east on the true
 line for the cor. to 1/4 sec. From which a
 Logwood 6 in. dia. bears N 89 E. 10 miles dist.
 a Buck 10 " " " N 70 W. 21 " "
 80.20 To the post set for the cor. to sec. 25, 26, 35, 36

North Between Sec. 25, 26, T. N. 5 N. R. N. 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears North 28 miles dist. to
 Sugar 12 " " " South 13 " "
 56.00 To a Poplar, 24 in. dia. bears in the line.
 80.00 Set a post for the cor. to sec. 23, 24, 25, 26. T. N.
 5 N. R. N. 2 W. from which a
 Buck 24 in. dia. bears N 43 W. 22 miles dist. to
 Log 10 " " " S 34 E. 23 " "
 Lands soil and timber same as in the last section

East On a Kaudum line between Sec. 24 & 25. T. N.
 5 N. R. N. 2 W.
 25.00 To a Buck 10 miles wide bears S.
 40.00 Set a temporary post for the cor. to 1/4 sec.

T. N^o 5 N.R. N^o 2 W. 2nd Mer. (Ind.?)

80.10 Intersect the N. & S. line 10 links South of the first
set for the cor. to Sec. 24 & 25 T. N^o 5 N.R. N^o
2 W. Sands soil and timber same as on the last mile.

West On the true line between Sec. 24 & 25, T. N^o 5 N.
R. N^o 2 W.

40.05 Set the temporary post at the aver dist on the true line
for the cor. to 1/4 Sec. from which a
Sugar 10 in. dia. bore N 79 E 8 links dist; to
Well 12 " " " N 78 W 23 " "

80.10 To the first set for the cor. to Sec. 23, 24, 25, 26

North Intersect Sec. 23 & 24 T. N^o 5 N.R. N^o 2 W

40.00 Set a post for the cor. to 1/4 Sec. from which a
Pine 12 in. dia. bore N 37 E 14 links dist; to
Do 10 " " " S 8 W 11 " "

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 from
which a Sugar 10 in. dia. bore S 71 E 7 links dist
and a Pine 10 " " " S 26 W 7 " "
Sands the same as on the last mile.

East On a random line between Sec. 13 & 24 T. N^o 5
N.R. N^o 2 W.

40.00 Set a temporary post for the cor. to 1/4 Sec. "

80.30 Intersect the N. & S. line 12 links South of the
first set for the cor. to Sec. 13 & 24. Sands soil &
timber same as on the last mile.

West On the true line between Sec. 13 & 24 T. N^o 5 N.
R. N^o 2 W

40.15 Set the temporary post at the aver dist on the true line
for the cor. to 1/4 Sec. from which a
Log made 5 in. dia. bore S 84 W 30 links dist; to
Do 8 " " " N 50 E 7 " "

80.30 To the first set for the cor. to Sec. 13, 14, 23, 24

T. N. 5 N. R. N. 27. 2nd Mer. (S. 1st)

North Return Sec. 13. & 14. T. N. 5 N. R. N. 27.

8.60 To a Poplar 40 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dog woods 8 in. dia. bears N 57th. 14 miles dist; to
Buck 12 n n n S 8 E. 9 n n80.00 Set a post for the cor. to sec. 11, 12, 13, & 14. from which
a Buck 10 in. dia. bears S 2 E. 30 miles dist; to
Dog woods 6 n n n N 26 E. 22 n n
Clude Soil and timber same as on the last mile.East On a Random line between Sec. 12 & 13. T. N. 5
N. R. N. 27.40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.80.43 Enter into the N 8 line 20 miles North of the post
Set for the cor. to sec. 12, & 13. T. N. 5 N. R. N. 28
Clude Soil and timber same as on the last mile.West On the true line between Sec. 12 & 13. T. N. 5 N. R.
N. 27. 2nd Mer. S. 1st40.21 $\frac{1}{2}$ Set the temporary post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 20 in. dia. bears S 84 E. 38 miles dist; to
B. Oak 6 n n n N 74th. 17 n n

80.43 Set the first set for the cor. to sec. 11, 12, 13, & 14

North Return Sec. 11 & 12 T. N. 5 N. R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Dog woods 6 in. dia. bears N 14 E. 27 miles dist; to

B. Oak 12 n n n S 12th. 19 n n

59.75 To a Sugar 18 in. dia. stands in the line.

80.00 Set a post for the cor. to sec. 1, 2, 11 & 12 from which a

Dog woods 8 in. dia. bears S 50 E. 7 miles dist; to

Do 6 n n n N 50th. 3 n n

Clude Hilley, Timber Oak, & Walnut

East On a Random line between Sec. 1 & 12 T. N. 5 N. R. N. 27.

T. N. 5 N.R. N. 2 W. 2nd Mer. Ind. a)

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.17 Enter section the N.B. line 17 miles North of the first
 set for the cor. to Sec. 1 & 12. Same as on the
 last mile brushy.

- West On the true line between Sec. 1 & 12 T. N. 5 N.R. N. 2 W.
 40.08 $\frac{1}{2}$ Set the temporary post at the corner. Mark on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia. bears West 24 miles dist; to
 Maple 10 n n n S 87 W 25 n n
 80.17 To the post set for the cor. to Sec. 1, 2, 11 & 12.

- North Return Sec. 1 & 2. T. N. 5 N.R. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Logonade 6 in. dia. bears N 3 E. 25 miles dist; to
 Oak 10 n n n S 33 W. 20 n n
 81.50 Enter section the North Branch of T. N. 5 N.R.
 N. 2 W. at the post set for the cor. to Sec. 35 & 36
 T. N. 6 N. W. N. 2 W. See bearings for the
 cor. on the North Branch line.
 Land is dirt and timber same as on the last mile

- North Return Sec. 34 & 35. T. N. 5 N.R. N. 2 W.
 34.75 To a Buck 12 in. dia. stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 10 in. dia. bears S 21 W. 20 miles dist; to
 No 18 n n n N 32 E. 23 n n
 81.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from
 which a Logonade 6 in. dia. bears S 89 E. 10 miles
 dist; to Buck 10 n n n S 45 W 7 n n
 Land is dirt and rolling; Timber Poplar, Ash,
 & Buck & Sugar; No 18 same as on the last mile.

- East On a random line between Sec. 26 & 35 T. N. 5 N.
 R. N. 2 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. N. 5 N. R. N. 27. 2nd 10th Mn. (Ind.)

79.58 Enter section the N. & S. line 12 miles North of the
first set for the cor. to Sec. 25, 26, 35, & 36. Same
the same as on the last mile.

West On the true line between Sec. 26 & 35, T. N. 5 N.
R. N. 27.

39.79 Set the temporary post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. bears N 46 W. 18 miles dist; to
do 10 in. " " S 39 E. 4 " "

79.58 To the first set for the cor. to Sec. 26, 27, 34 & 35

North Between Sec. 26 & 27, T. N. 5 N. R. N. 27

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugars 12 in. dia. bears S 28 W. 6 miles dist; to
Buck 10 in. " " N 43 E. 8 " "

62.40 To a Sugars 12 in. dia. stands in the line

80.00 Set a post for the cor. to Sec. 22, 23, 26, 27 from
which a Buck 12 in. dia. bears S 68 E. 30 miles dist
mudg. do 18 in. " " N 3 E. 24 in. "
Cando Soil and timber same as on the last mile.

East On a Random line between Sec. 23 & 26, T. N. 5
N. R. N. 27.

40.01 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.82 Enter section the N. & S. line 12 miles North of the
first set for the cor. to Sec. 23, 24, 25, & 26.
Same Soil and timber same as on the last mile.

West On the true line between Sec. 23 & 26, T. N. 5 N.
R. N. 27

39.91 Set the temporary post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a

Buck 10 in. dia. bears S 38 W. 11 miles dist; to
Sugars 8 in. " " S 78 W. 34 in. "

79.82 To the first set for the cor. to Sec. 22, 23, 26, & 27

T. N. 5 N. R. No. 2 W. 2nd Mer (S)

North Return Sec. 22 & 23. T. N. 5 N. R. No. 2 W.

12.00 Set a Buck 12 in. dia. Stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Run 20 in. dia. Stands S 9 E. 33 miles dist; to
Buck 18 n n n S 67 N. 15 n n

71.35 Set a Sugar 10 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23 from
which a Buck 12 in. dia. bears S 67 E 6 miles dist;
and a Poplar 20 n n n South 4 n n
Stands set and timber same as on the last mile.

East On a Run from line between Sec. 14 & 23. T. N. 5 N. R. No. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. temp.

79.70 Intersect the N. & S line 8 miles N. of the post set
for the cor. to Sec. 13, 14, 23, & 24 Stands set and
timber same as on the last mile.

West On the true line between Sec. 14 & 23. T. N. 5 N. R. No. 2 W.

39.85 Set the temporary post at the error. Set on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Buck 8 in. dia. bears N 82 W. 26 miles dist; to
do 8 n n n S 65 W. 25 n n

79.70 To the post set for the cor. to Sec. 14, 15, 22, 23.

North Return Sec. 14 & 15. T. N. 5 N. R. No. 2 W.

29.30 Set a Buck 15 in. dia. Stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. bears S 35 W. 19 miles dist; to
Poplar 20 n n n S 81 E. 12 n n
Stands the same as on the last miles.

80.00 Set a post for the cor. to Sec. 10, 11, 14 & 15 from which
a W. Oak 20 in. dia. bears S 36 E. 26 miles dist; to
Run 8 n n n N 24 E. 32 n n
Stands very healthy and brushy; Timber Oak, & White
Oak same as on the last mile

T. N. 5 N. R. No 2 W. Q. No. 1 Ind.

East On a Random line between Sep. 11. & 14. T. N. 5 N. R. No 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.00 Enter onto the N. & S. line 12 miles South of the post set for the cor. to Secs. 11, 12, 13, & 14. Same as the last mile.

West On the true line between Sep. 11. & 14. T. N. 5 N. R. No 2 W. Q. No. 1 Ind.

40.00 Set the temporary post for the cor. to $\frac{1}{4}$ sec. at the aver. dist. on the true line from which a

Elm 8 in. dia. bears N 88 E. 30 links dist. to

Post 7 ~ ~ S 67 W. 9 ~ ~

80.00 Set the post set for the cor. to Secs. 10, 11, 14, 15.

North Between Sep. 10. & 11. T. N. 5 N. R. No 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a W. Oak 20 in. dia. bears S 22 W. 20 links dist. to Post 9 ~ ~ N 24 W. 27 ~ ~

76.40 Iron Post 18 in. dia. stands in the line.

80.00 Set a post for the cor. to Secs. 2, 3, 10, & 11. from which a Hick. 10 in. dia. bears N 58 E. 14 links dist. to W. Oak 7 ~ ~ S 45 E. 13 ~ ~ Same as the last mile; Timber Buck, Sugar, Ash, & Poplar.

East On a Random line between Sep. 2. & 11. T. N. 5 N. R. No 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.00 Enter onto the N. & S. line 18 miles South of the post set for the cor. to Secs. 1, 2, 11, & 12. Same as the last mile.

West On the true line between Sep. 2. & 11. T. N. 5 N. R. No 2 W.

39.80 Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Post 10 in. dia. bears N 74 W. 18 links dist. and a

I. N. 5. N. W. N. 27. 2nd Mer. (Ind.)

Wick 18 in. dia. head N 6 E. 5 miles dist;
79.60 To the first set for the cor. to Sec. 2, 3, 10, 11.

North Pitman Sec. 2 & 3. *I. N. 5. N. W. N. 27.*

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugar 18 in. dia. head S 29 W. 21 miles dist; to

Do 12 in. " " N 8 E. 14 " "

43.40 To a Poplar 30 in. dia. stands in the line.

82.00 Enter into the N. Corner of *I. N. 5. N. W. N. 2*
N. 25 miles East of the Sec. cor. for 34 & 35.

I. N. 6. N. W. N. 27. and set a post for the cor. to
Sec. 2 & 3. from which a

Sugar 7 in. dia. head N 33 W. 3 miles dist; to

Do 7 in. " " S 87 E. 18 " "

Land is hilly; timber Oak, & Whiteo.

North Pitman Sec. 33 & 34. *I. N. 5. N. W. N. 27.*

16.50 To a Brook 18 miles wide; course S. E.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Sugar 9 in. dia. head S 42 E. 8 miles dist; to

Do 6 in. " " N 66 E. 9 " "

63.25 To a Brook 12 miles wide; course S. W.

80.00 Set a post for the cor. to Sec. 27, 28, 33, 34. *I. N. 5.*

N. W. N. 27. from which a

Wick 10 in. dia. head S 72 W. 12 miles dist; to

Do Oak 30 in. " " N 81 W. 29 " "

Land is hilly; timber Oak, & Whiteo.

East On a random line between Sec. 27 & 34. *I. N. 5. N. W. N.*
27. 2nd Mer.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.

80.00 Enter into the N. S. line 19 miles N. of the post set
for the cor. to Sec. 26, 27, 34, & 35.

Land is level and timber same as on the last mile.

West On the true line between Sec. 27 & 34. *I. N. 5. N. W. N. 27.*

217

I N^o 5 N.R. N^o 2 W. 2nd Mer. (Ind.)

40.00 Set the temporary post at the corner next in the true line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 8 in. dia. beam N 58 77.10 miles north; & a
 Do 8 " " " S 58 E. 10 " "

North Between Sep. 27 & 28 I N^o 5 N.R. N^o 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Gum 12 in. dia. beam N 10 E. 55 miles north; & a
 49.85 To a Gum 12 in. dia. beam in the line.
 80.00 Set a post for the cor. to Sep. 21, 22, 27, & 28. from which
 a Buck 10 in. dia. beam N 74 E. 32 miles north; & a
 Do 9 " " " S 87 71 12 " " "
 Sand pit and timber same as on the last mile.

East On a Random line between Sep. 22 & 27. I N^o 5 N.R. N^o 2 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.20 Enter into the N. 1 S line 8 miles South of the post set
 for the cor. to Sep. 22, 23, 26, 27.
 Sand pit and timber same as on the last mile.

West On the true line between Sep. 22 & 27. I N^o 5 N.R. N^o 2 W.
 40.10 Set the temporary post at the corner next in the true line for the
 cor. to $\frac{1}{4}$ sec. from which a
 Buck 10 in. dia. beam N 88 E. 33 miles north; & a
 Do 9 " " " N 34 E. 18 " "
 80.20 To the post set for the cor. to Sep. 21, 22, 27, & 28.

North Between Sep. 21 & 22, I N^o 5 N.R. N^o 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 22 in. dia. beam N 52 77. 33 miles north; & a
 Sugar 8 " " " N 82 77 35 " "
 80.00 Set a post for the cor. to Sep. 15, 16, 21 & 22 from which
 Sugar 10 in. dia. beam N 27 77. 18 miles north; and a
 Elm 10 " " " N 4 E. 19 " "
 Spruce, Willow and oak; Timber Buck, Poplar &c.
 W. same as on the last mile.

T. N. 5 N. R. N. 27. 2nd Mer. (Ind.)

East On a random line between Sec. 15, & 22, T. N. 5 N. R. N. 27.

11.50 To a Spring 7 Brook 5 miles wide; across St.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.80 Intersect the N. & S. line 10 miles North of the post set for the cor. to Sec. 14, 15, 22, & 23.

Sand soil and timber same as on the last mile.

West On the true line between Sec. 15, & 22, T. N. 5 N. R. N. 27.

39.90 Set the temporary post for the area dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Beach 8 mi. dist. bears N 42 E. 9 miles dist; & to

to 12 on — N 21 W. 15 on —

79.80 To the post set for the cor. to Sec. 15, 16, 21, & 22.

West Between Sec. 15, & 16, T. N. 5 N. R. N. 27

2.00 To a Brook 10 miles wide; across St. N.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a N. Oak 20 in. dia. bears N 55 W. 5 miles dist; & to Ironwood 7 on — N 72 E. 6 on —

80.00 Set a post for the cor. to Sec. 15, 16, 9, & 10, from which a N. Oak 20 in. dia. bears S 25 W. 43 miles dist. Sand soil and timber same as on the last mile

East On a random line between Sec. 14, & 15, T. N. 5 N. R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. of

80.00 Intersect the N. & S. line 10 miles North of the post set for the cor. to Sec. 10, 11, 14, & 15.

Ground very brushy and heavily &c.

West On the true line between Sec. 14, & 15, T. N. 5 N. R. N. 27. 2nd Mer.

40.00 Set the temporary post for the cor. to $\frac{1}{4}$ sec. for the area dist. on the true line in a brushy thicket; no bearing

T. N. 5 N. R. N. 2 W. 2nd Mer. Ind. a

80.00 To the first set for the cor. to Sec. 9. 10. 15. & 16

North. Between Sec. 9. & 10. T. N. 5 N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

in. dia. beam N 37 E. 10 miles dist. and a

Cherry Tree in in S 76 W. 13 in in

80.00 Set a post for the cor. to Sec. 3. 4. 9. 10. from which a

Beam 10 S 27 W. 33 miles dist. & a

Log 9 S 83 W. 30 in in

Same lilly and thin soil; timber Oak, & Hard

East On a line between Sec. 3. & 10. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post for the cor. to $\frac{1}{4}$ Sec.

80.00 Enter into the N. & S. line 20 miles North of the post set for the cor. to Sec. 2, 3 10. & 11.

Same soil and timber same as on the last mile.

West On the true line between Sec. 3. & 10. T. N. 5 N. R. N. 2 W. 2nd Mer. Ind. a

40.00 Set the temporary post at the aver. dist. on the line for the cor. to the $\frac{1}{4}$ Sec. from which a

Beam 20 in. dia. beam N 83 W. 22 miles dist; & a

Log 8 in in in N 13 E. 17 in in

80.00 To the first set for the cor. to Sec. 3. 4. 9. 10.

North. Between Sec. 3. & 4. T. N. 5 N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Beam 10 in. dia. beam N 2 E. 24 miles dist; & a

Log 11 in in in N 13 E. 11 in in

67.00 To a Beam 20 in. dia. made on the line.

81.10 Enter into the N. Boundary of T. N. 5 N. R. N. 2 W. 10 miles East of the first set for the cor. to Sec. 33. & 34. T. N. 6 N. R. N. 2 W. and set a post for the cor. to Sec. 3. & 4. from which a

Beam 20 in. dia. beam N 4 W. 13 miles dist; & a

T. N^o 5 N.R. N^o 277. 2nd Mer. (Ind.)

Beck 17 in. dia. beam S 63 W 33 miles dist; to
Sands Soil and timber same as on the last mile.

North Potomac Sul. 32, 133. T. N^o 5 N.R. N^o 277.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Cedar 10 in. dia. beam S 37 E 14 miles dist; to
Applon 7 n n n S 52 W. 14 n n

80.00 Set a post for the cor. to Sul. 28, 29, 32, 133. From
which a Beck 10 in. dia. beam N 28 W. 8 miles dist
and a Dogwood 6 n n N 80 E. 10 n n
Sands hilly and bushy Timber Oak, & White

East In a Meridian line between Sul. 28, 133. T. N^o 5 N.
N^o 277.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.08 Iron enters the N. & S. line 12 miles South of the
Post set for the cor. to Sul. 27, 28, 33, 134.
Sands hilly and uneven

West On the true line between Sul. 28, 133. T. N^o 5 N.R. N^o
277.

40.04 Set the temporary post at the cor. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Cedar 10 in. dia. beam S 8 W. 12 miles dist; to
Dogwood 9 n n n N 76 W 32 n n

80.08 To the post set for the cor. to Sul. 28, 29, 32, 133.

North Potomac Sul. 28, 129. T. N^o 5 N.R. N^o 277.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dogwood 5 in. dia. beam N 70 E. 9 miles dist; to
Willow 19 n n n N 15 E. 22 n n

80.00 Set the post for the cor. to Sul. 28, 29, 32, 129. From
which a Cedar 8 in. dia. beam S 8 W. 19 miles dist
and a Beck 18 n n n East 15 n n
Sands Soil and timber same as on the last mile.

T. N^o 5 N.R. N^o 2 W. 2nd Mer. (End^d)

East On a line between Sep. 21. & 28. T. N^o 5 N.R. N^o 2 W.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersection the N. & S. line 18 miles N. & H. of the post
 set for the cor. to Sep. 26. 22, 27. & 28.
 Sand soil and timber same as on the last mile.

West On the true line between Sep. 21. & 28. T. N^o 5 N.
 N. N^o 2 W.
 40.00 Set the temp. post at the cor. set on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Beck 7 in. dia. bears S 47 E. 22 miles dist. to
 Sugar 10 " " " N 76 W. 11 " " "
 80.00 Set the post set for the cor. to Sep. 20. 21. 28. & 29.

North Between Sep. 20. & 21. T. N^o 5 N.R. N^o 2 W.
 3.50 To a Brook 10 miles wide; Course W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck 8 in. dia. bears S 22 W. 14 miles dist. to
 Do 18 " " " N 29 W. 23 " " "
 57.50 To a Brook 10 miles wide; Course West.
 60.00 " " " 150 " " " S. W.
 75.00 To where the same comes from the N. W.
 80.00 Set a post for the cor. to Sep. 16. 17. 21. & 22. from
 which a " " in. dia. bears S 23 E. 12 miles dist.
 and a Beck 12 " " " N 29 E. 47 " " "
 Sand soil and timber same as on the last mile.

East On a line between Sep. 16. & 21 T. N^o 5
 N.R. N^o 2 W.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersection the N. & S. line 18 miles South of the
 post set for the cor. to Sep. 15. 16. 21. & 22
 Sand soil and timber same as on the last mile.

West On the true line between Sep. 16 & 21. T. N^o 5 N.R.
 N. 2 W. 2nd Mer. End^d

T. N. 5 N. R. N. 2 W. 2nd Mer. (Ind. Co.)

- West On the true line between Sec. 16. & 21. T. N. 5 N. R. N. 2 W.
- 40.00 Set the temporary post at the apex of the corner, on the true line, for the cor. to 1/4 sec. from which a Sugar 9 in. dia. bears N 57 W. 21 miles distant to
Do 7 " " " N 18 E. 20 " "
- 80.00 To the post set for the cor. to Sec. 16. 17. 21. & 22

- North Between Sec. 16 & 17. T. N. 5 N. R. N. 2 W.
- 23.60 Oak Brook 10 in. dia. stands in the line
- 40.00 Set a post for the cor. to 1/4 sec. from which an Ironwood 6 in dia bears S 15 W. 15 miles distant to
Dogwood 6 in " " N 68 E. 23 " "
- 69.00 Oak Brook 15 in. dia. side; corner S. W.
- 80.00 Set a post for the cor. to Sec. 8. 9. 16. & 17. from which a Buck 7 in. dia. bears S 34 E. 20 miles distant to
Do 12 " " " N 34 W. 3 " "
Sand soil and Timber same as on the last mile.

- East On a random line between Sec. 9. & 16. T. N. 5 N. R. N. 2 W.
- 30.00 Oak Brook 100 miles side; corner S. W.
- 34.00 To same point of the same Brook 75 miles side; corner S. W.
- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 80.00 Introduce the N. & S. line 15 miles South of the post set for the cor. to Sec. 9. 10. 15. 16. Sand soil timber & V. same as on the last mile

- West On the true line between Sec. 9. & 16. T. N. 5 N. R. N. 2 W. 2nd Mer.
- 40.00 Set the temporary post at the corner, set on the true line for the cor. to 1/4 sec. from which a Sugar 9 in. dia bears S 49 E. 21 miles distant to
Do 9 " " " S 47 W. 16 " "
- 80.00 To the post set for the cor. to Sec. 8. 9. 16. & 17

T. N. 5 & R. N. 2 W. 2nd & 3rd Mrs. (S. a. c.)

North Return Sec. 8 & 9 *T. N. 5 & R. N. 2 W. 2nd & 3rd Mrs.*
 25.00 To the Brook 157 miles; course down & E.; up. N.
 40.00 Cor. to $\frac{1}{4}$ sec. in the Brook.
 45.00 To the same Brook course from the N. W.
 80.00 Set a post for the cor. to Sec. 4, 5, 8, 9 from which
 Sugar 18 in. dia. bears N 4 E. 21 miles dist; to
 Buck 6 in. dia. N 49 E. 24 in. —
 Description Omitted

East On a random line between Sec. 4 & 9, *T. N. 5 & R. N. 2 W.*
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. from which.
 79.70 Intersect the N. & S. line 18 miles North of the post
 set for the cor. to Sec. 3, 4, 9, 10. Last $\frac{1}{2}$ mile
 thin soil;

West On the true line between Sec. 4 & 9, *T. N. 5 & R. N. 2 W. 2nd & 3rd Mrs.*
 39.85 Set the temporary post at the cross dist. in the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 8 in. dia. bears N 67 W. 30 miles dist; to
 Sycamore 18 in. dia. N 50 E. 23 in. —
 79.70 To the post set for the cor. to Sec. 4, 5, 8, 9.

North Return Sec. 4 & 5, *T. N. 5 & R. N. 2 W.*
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 6 in. dia. bears N 7 E. 15 miles dist; to
 Ho 9 in. dia. N 60 W. 17 in. —
 81.50 Intersect the N. Boundary of *T. N. 5 & R. N. 2 W.*
 30 miles East of the post set for the cor. to Sec. 32 &
 33 *T. N. 6 & R. N. 2 W.* and set a post for the cor. to
 Sec. 4 & 5. from which a
 Buck 6 in. dia. bears S 25 W. 2 miles dist; to
 Ho 6 in. dia. N 32 W. 8 in. —
 Sande Soil and timber same as in the last mile.

North Return Sec. 31 & 32 *T. N. 5 & R. N. 2 W.*

T. N. 5 N. R. N. 27. 2nd Mer. (Ch. 49)

North Return Cul. 31. + 32 T. N. 5 N. R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. 4

80.00 Set a post for the cor. to Cul. 29, 30, 31. + 32 from which an Elm 10 in. dia. bears N 57 E 24 miles dist. made a Buck 6 in. dia. N 77 W. 18 in. Sand broken and brushy; timber Oak, Hickory made Buck.

East On a random line between Cul. 29. + 32 T. N. 5 N. R. N. 27.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.50 Intersect the N. & S. line 12 miles N. of the post set for the cor. to Cul. 28, 29, 32. + 33. Sand soil made timber same as in the last mile.

West On the true line between Cul. 29. + 32 T. N. 5 N. R. N. 27

39.75 Set the temporary post at the cor. dist. on the true line for the cor. to 1/4 sec. from which a

Buck 12 in. dia. bears West 37 miles dist.

79.50 To the post set for the cor. to Cul. 29, 30, 31. + 32

West Return Cul. 30. + 31 T. N. 5 N. R. N. 27.

22.50 To a Brook 150 miles wide, corner South.

40.00 Set a post for the cor. to 1/4 sec. from which a Buck 10 in. dia. bears N. 51 E 14 miles dist. to Ironwoods Co. N 80 W. 25 in.

76.40 Intersected the West Branch of T. N. 5 N. R. N. 27. 64 miles N. of the post set for the cor. to Cul.

25 + 36 T. N. 5 N. R. N. 37. and set a post for the cor. to Cul. 30 + 31. from which a Buck 10 in. dia. bears S 56 E. 8 miles dist. to N. Oak 10 in. dia. N 15 E 18 in. Sand broken; timber Buck, Poplar, Sycamore

North Return Cul. 29. + 30 T. N. 5 N. R. N. 27.

6.18 To a Brook 150 miles wide, corner S.W.

I. N^o 5 N. R. N^o 27. 2nd Mer. S. A.

- 40.00 Set a post for the cor. to 1/4 Sec. from which a
Dogwoods 6 in dia line S 81 W. 7 1/2 miles dist; 10
Do 6 " " " N 22 W. 24 " "
- 80.00 Set a post for the cor. to Sec. 19, 20, 29, & 30. from
which a Buck - in dia. line S 13 W. 16 miles dist;
made a 13 Oak 18 " " " N 16 W. 15 " "
Sands rolling; timber Poplar, ash, Sugar, &c. N. 3
Spruce and Dogwoods.

East On a Random line between Sec. 20, & 29 I. N^o 5 N. R. N^o 27.

- 20.00 To a Brook 150 miles dist; Course South
- 40.00 Set a temp. post for the cor. to 1/4 Sec.
- 71.00 To a Spring Brook 10 miles dist. Course South.
- 80.00 Into cut the N. & S. line 12 miles North of the post
Set for the cor. to Sec. 20, 21, 28, & 29
Sands flat and timber same as in the last mile.

West On the true line between Sec. 20, & 29 I. N^o 5 N. R. N^o 27.

- 40.00 Set the temp. post at the corner set on the true line for
the cor. to 1/4 Sec. from which a
Buck 20 in. dia. line N 62 E. 23 miles dist; 10
Do 9 " " " S 62 W. 11 " "
- 80.00 To the post set for the cor. to Sec. 19, 20, 29, & 30

North Return Sec. 19, & 20 I. N^o 5 N. R. N^o 27.

- 16.50 To a Buck 20 in dia. It ends on the line.
- 40.00 Set a post for the cor. to 1/4 Sec. from which a
Buck 18 in. dia. line S 45 W. 16 miles dist; 10
Do 10 " " " South 13 " "
- 57.00 To a Brook 10 miles dist; Course E
- 80.00 Set a post for the cor. to Sec. 17, 18, 19, & 20. from which
a Buck 18 in dia. line N 79 E. 28 miles dist; 10
Do 6 " " " S 9 E. 13 " "
Sands flat and timber same as in the last mile.

T. N^o 5 N.R. N^o 277. 2nd Mer. (Qu. A.)

East On a Random line between Sep. 17. & 20 T. N^o 5 N.R. N^o 277.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

45.00 To a Brook 157 links wide; corner South.

80.00 Intersect the N. & S. line 25 links North of the post set for the cor. to Sep. 16. 17. 20. & 21.

Land sold made timber same as in the last mile.

West On the true line between Sep. 17. & 20 T. N^o 5 N.R. N^o 277.

40.00 Set the temporary post at the given dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Beck 20 in. dia. bore N 73 W. 19 links dist. to

Do 18 " " " N 79 E. 18 " "

80.00 To the post set for the cor. to Sep. 17. 18. 19. 20.

North Between Sep. 17. & 18 T. N^o 5 N.R. N^o 277.

25.00 To a Brook 150 links wide; corner S.E.

45.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Aug. 10 in. dia. bore N 31 E. 20 links dist. to

Beck 8 " " " N 57 W. 8 " "

44.50 To the above named Brook 150 links wide; corner W.

80.00 Set a post for the cor. to Sep. 7. 8. 17. & 18 from which a

W Oak 12 in. dia. bore N 25 W. 38 links dist. to

Beck 10 " " " N 59 E. 18 " "

Land sold made timber same as in the last mile

East On a Random line between Sep. 8. & 17 T. N^o 5 N.R. N^o 277.

19.00 To a Brook 175 links wide; corner S.W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. for

55.00 To a Brook 150 links wide; corner N.W.

80.20 Intersect the N. & S. line 30 links North of the post set for the cor. to Sep. 8. 9. 16. & 17.

Land sold made timber same as in the last mile

I. N. 5 N. R. N. 2 W. 20.40 Mer. (Ind.)

West On the true line between Sep. 8. & 17 I. N. 5 N. R. N. 2 W.

40.00 Set the temporary post at the corner dish on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Poplar 7 in. dia. bears N 84 E. 18 miles dist; or

Bush 29 n n S 76 W 36 n n

80.20 To the post set for the cor. to Sep. 7. 8. 17. & 18.

North Petron Sep. 7. & 8 I. N. 5 N. R. N. 2 W.

13.50 To a Sugar 10 in dia. stands on the line

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Poplar 6 in dia. bears S 78 E. 5 miles dist; or

Bush 12 n n S 29 W. 29 n n

80.00 Set a post for the cor. to Sep. 5. 6. 7. 8. from which

a Maple 8 in dia. bears N 10 W. 23 miles dist; or

Bush 10 n n S 21 W. 20 n n

Sand soil made timber same as in the last mile

East On a random line between Sep. 5. & 8 I. N. 5 N. R. N. 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec

64.00 To a Birch 150 miles wide corner South,

80.15 Intersected the N. & S line 20 miles North of the post set for the cor. to Sep. 4. 5. 8. 9.

Sand soil made timber same as in the last mile.

West On the true line between Sep. 5 & 8. I. N. 5. N. R. N. 2 W.

40.07 1/2 Set the temporary post at the corner dish on the true line for the cor. to $\frac{1}{4}$ sec. from which a

elmwood 6 in. dia. bears S 41 E. 3 miles dist; or

Bush 6 n n N 87 W. 18 n n

80.15 To the post set for the cor. to Sep. 5. 6. 7. 8.

North Petron Sep. 5. & 6. I. N. 5 N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

T. N^o 5 N. R. N^o 2 W. 2nd Mer (Ind.)

- Dogwoods 4 mi. distance N 44 E. 17 miles dist;
 Sugar 10 n n n N 88 W 14 n n
 79.80 Intersection the North Boundary of T. N^o 5 N. R. N^o 2 W. at the post set for the cor. to sec. 31. & 32. T. N^o 5 N. R. N^o 2 W.
 Sand rich and rolling; Timber Poplar, Sugar Birch

- West Bottom Sec. 19. & 30. T. N^o 5 N. R. N^o 2 W. 2nd Mer.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 mi. distance S 55 E. 16 miles dist; to
 Do 9 n n n N 47 W 5 n n
 76.88 Intersection the West Boundary of T. N^o 5 N. R. N^o 2 W. 45 miles North of the post set for the cor. to sec. 24. & 25. T. N^o 5 N. R. N^o 3 W. & set a post for the cor. to sec. 19. & 30. from which a
 Buck 10 mi. distance N 79 E. 25 miles dist; to
 Do 7 n n n S 52 E 17 n n
 Sand soil and timber same as on the last mile.

- West Bottom Sec. 6. & 17. T. N^o 5 N. R. N^o 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Dogwoods 6 mi. distance N 84 E. 36 miles dist; to
 Buck 20 n n n S 49 W. 15 n n
 77.35 Intersection the W. Boundary of T. N^o 5 N. R. N^o 2 W. at the post set for the cor. to sec. 1. & 12. T. N^o 5 N. R. N^o 3 W. Sand Heavy; Timber Oak & Hickory

- West Bottom Sec. 7. & 18. T. N^o 5 N. R. N^o 2 W.
 4.50 To a Brook 10 miles wide; comes South
 14.60 To a B. Gum 12 mi. distance stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 mi. distance S 2 E. 19 miles dist; to
 W. Oak 12 n n n N 83 W 25 n n
 77.15 Intersection the West Boundary of T. N^o 5 N. R. N^o 2 W. at the post set for the cor. to sec. 12. & 13.

T. No 5 N.R. No 27. D^{no} Mer. (Ind^a)

T. No 5 N.R. No 37.

Land's first timber is some as on the last mile.

West 7 Between Sec. 18. 49 T. No 5 N.R. No 27.
 40.00 Set a post for the cor. to the sec. from which a
 Sugar 12 in. dia. saw North 2 miles north, &
 76.90 Enter section the West Boundary of Town. No 5 N.
 R. No 27. at the first set for the cor. to sec.
 13. 6 24 T. No 5 N.R. No 37.
 Land's Hilts; timber Oak, Sugar, Ash & Poplar.

Done since & subdivision

Surveyed by

Arthur Kenrie

Dep't. Sur.

I certify that the foregoing transcript of the field
 notes of Township No 5 North of Range No 2
 West of the D^{no} Mer. Indiana, has been compared
 with the Original notes in this Office, and
 found to be correct.

Surveyor General's Office

Cincinnati, Dec. 20. 1839

E. S. Peirce
 Sur. Genl.